

Notified body N° 0075

EC-TYPE EXAMINATION CERTIFICATE

The following model of Personal Protective Equipment has been subjected to an EC-type examination in accordance with the article 10 of the PPE Directive (89/686/EEC) and has been shown to satisfy the relevant provisions of the Directive.

Certificate N°

0075/1714/162/10/12/0813

Is given to the following model of personal protective equipment:

Issued to:

VICSA SAFETY

PINTOR CICARELLI 683, SAN JOAQUIN, SANTIAGO

CHILE

Distributor:

- 1

Product reference:

300950740041

Description:

PPE Type:

Protective gloves against mechanical risks.

Reference standard:


EN 388: 2003.

Category:

11

Full description of the PPE, reference rules verified in the context of the EC-type examination and information given on the product are detailed in the complete certificate.

Issued in Lyon by Lionel Gaudillere Head of CE marking





In application of the Directive ref 89/686/EEC of the 21th December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decree N°92-765, 766 and 768 of the 29th July 1992 concerning the transposition of this Directive into French law.

CTC is notified by decree of the Ministry of work of the 20th December 2010 and is registered under the number 0075 in OJEU.









In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4,rue Hermann Frenkel - 69367 Cedex 07 - France
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr
Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF
9412Z - TVA FR 88775649726

authorized by decrees of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers:

CE TYPE EXAMINATION CERTIFICATE 0075/1714/162/10/12/0813

To the following model of personal protective equipment:

* protective glove against

mechanical risks.

* reference of the model

300950740041

* responsible for placing on the market

VICSA SAFETY

PINTOR CICARELLI 683, SAN JOAQUIN, SANTIAGO

CHILE

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on October 19th, 2012

Issued by Lionel CAUDILLERE

De Examination Co

NOTA: Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.



1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference: 300950740041

Basic Model

Dated: OCTOBER, 2012

GUANTE PVC 14 -435 CM ROJO

Available sizes:

14

Visual description:



Material:

	Colour	Material	Gauges	Thickness
PALM	red	PVC		
BACK	red	PVC		
LINING	beige	cotton/ polyester	26gauge	
CUFF	red	PVC		
BINDING				



2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009
- General requirements for gloves and test methods
- * EN 388:2003
- Protective glove against mechanical risks
- * At the date of certificate, the product is in compliance with Annex XVII of European REACh regulation (552/2009/EC and associated revisions)

References of test reports performed in order to verify the compliance with the requirements of the technical rules:

Laboratory	CTC Asia	CTC France	Other
EN 420	SH61202-12		SH61202-12
Azo	SH61202-12		
EN 388	SH61202-12		

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	1	2	1

The levels of performance have been measured on the palm



Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * **C** € marking
- * reference of the model:

300950740041

- * size
- * pictogram for mechanical risks followed by the performance levels
- * information pictogram

Marking example:



VICSA SAFETY

MANUFACTURER'S TECHNICAL FILE

Reference of the product : 300950740041

Technical file index : 01

Last update : OCTOBER, 2012

IDENTIFICATION

Reference of the product: : 300950740041

Technical file index: : 01

Last update : : OCTOBER, 2012

CE Type Examination Applicant:

VICSA SAFETY

PINTOR CICARELLI 683, SAN JOAQUIN, SANTIAGO

CHILE

tel: 56-2-5894004 fax: 56-2-5894120

Manufacturer :

XINJI SUNNYHOPE SAFETY PRODUCTS CO. LTDA. XICHENG INDUSTRIAL PARK, XINJI, HEHEI

CHINA

tel: 86-311-85108588 fax: 86-311-85108777

GLOVE DESCRIPTION

Glove description:

GUANTE PVC 14 -435 CM ROJO

Visual description:



Available sizes :

Minimum length of glove (mm)	Sizes	
350	14	

Glove constitution:

Value (Reference	Colour	Material	Surfacic mass	Gauges	Thickness
PALM		red	PVC	960g/m2		
BACK		red	PVC	960g/m2		
LINING		beige	cotton/ polyester	180g/m2	26gauge	
CUFF		red	PVC	960g/m2		
BINDING						

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protection Equipment Directive (89/686/CE).

This glove is designed for mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

yes

Standard EN 420: 2003 + A1: 2009

Dexterity:

PH of glove and lining is greater than 3.5 and lower than 9.5:

Chromium VI lower than the detection limit: conform

Size: conform

At the date of certificate, the product is in compliance with Annex XVII of European REACh regulation (552/2009/EC and associated revisions)

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388: 2003

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	1
Tear strength resistance	2
Puncture resistance	1

TEST REPORTS

Laboratory	CTC Asia	CTC France	Other
EN 420	SH61202-12		SH61202-12
Azo	SH61202-12		
EN 388	SH61202-12		

MARKING - PACKAGING

Information printed on the glove:

Logo of the authorized representative :

Logo (€

Glove's reference: 300950740041

Size indicator

Pictograms related to risks against which protection is offered with performance levels Information pictogram

Marking example:



Method of marking on the glove:

printing on the back of the gloves or printing on the washing lable

Packaging:

one doz per polybag,ten doz per carton

MEANS OF CONTROL

Purchasing raw materials that is underwritten by customer from our designated suppliers who have certificate control

Before the raw material is due into warehouse the quality is evaluated again under QC Liner tailor and sewing is strictly progressed under company's rule.

Before manufacture online, each style product must be made in lab to guarantee the test is fit international standards and customers special requirements.then can manufacture online under the control of GPQ

the packing and loading is controlled under QC before shipping.

Each step is controlled under ISO9001 and EC Declaration of Conformity

INSTRUCTION FOR USE

VICSA SAFETY

PINTOR CICARELLI 683, SAN JOAQUIN, SANTIAGO

CHILE

Glove reference:

300950740041

Available sizes:

14

Glove description:

GUANTE PVC 14 -435 CM ROJO

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the Directive 89/686/CEE: innocuousness, comfort, solidity.

It has been subject to a CE type Examination performed by :

C.T.C.

(0075)

4, rue Hermann Frenkel

69367 LYON Cedex 07

FRANCE

Applicable standards:

The glove meets the requirements of the standard EN 420 « General requirements for work glove », Dexterity : 5 Moreover, this glove has been designed for the following applications :



Application : Mechanical hazard - EN 388



4121 Levels of performance

Abrasion resistance	4	(on 4 maxi)
Blade cut resistance	1	(on 5 maxi)
Tear resistance	2	(on 4 maxi)
Puncture resistance	1	(on 4 maxi)

Protection limit:

The protection against risks or hazards which are not mentioned in this document is not warranted. The levels of performance mentioned are only valid for the palm of the glove. The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated. These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire.

Users should be warned that gloves should not be worn when there is a risk of entaglement by moving parts of machines.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.